

1: Identification of the Substance and Supplier

Product Name ACCLAIM CLEAR

Recommended Use Insecticide

Suppliers Details Orion AgriScience Ltd

Unit 1, 15 Sir Gil Simpson Drive, Harewood, Christchurch, 8053

PO Box 39 071, Harewood, Christchurch, 8545

 Web Address
 www.orionagriscience.co.nz

 Email Address
 orders@orionagriscience.co.nz

Telephone Number (03) 928 2386 (office hours), 0800 674 6627 (free phone)

 Emergency Telephone
 0800 CHEMCALL (0800 243 622) (24 hours)

 National Poison Centre
 0800 POISON (0800 764 766) (24 hours)

Date of Issue/Revision November 2024

2: Hazards Identification

Hazard Pictograms



Signal Words

Hazard Classes:

Acute Oral Toxicity (Cat. 3)

Specific Target Organ Toxicity Repeated Exposure (Cat. 2) Hazardous to the Aquatic Environment Acute (Cat. 1)

Hazardous to the Aquatic Environment Chronic (Cat. 1)

Hazardous to Soil Organisms

Hazardous to Terrestrial Vertebrates
Hazardous to Terrestrial Invertebrates

Precautionary Statements:

Prevention

Danger

Hazard Statements:

H301 Toxic if swallowed

H373 May cause damage to organs through prolonged or repeated exposure

H400 Very toxic to aquatic life

H410 Very toxic to aquatic life with long lasting effects

H421 Very toxic to the soil environment

H432 Toxic to terrestrial vertebrates

H441 Very toxic to terrestrial invertebrates

P101 If medical advice is needed, have product container or label at hand

P102 Keep out of reach of children

P103 Read carefully and follow all instructions

P264 Wash hands thoroughly after handling

P270 Do not eat, drink or smoke when using this product

P273 Avoid release to the environment

P260 Do not breathe dust/fume/gas/mist/vapours/spray

Avoid contact with eyes and skin. Do not breathe in the spray mist or dried dust. When mixing or applying, wear personal protection as described in section 8. Wear gloves when handling treated seeds. Take all reasonable steps to ensure that this product does not cause any significant adverse effects to the environment beyond the

application area. Do not apply directly into or onto water.

P301+P316 IF SWALLOWED: Get emergency medical help immediately

P330 Rinse mouth

P321 Specific treatment (Refer to section 4)

P314 Get medical advice/attention if you feel unwell

P391 Collect spillage

Page: 1 of 6

Response



First aid measures described in section 4. Contain and collect spillage for disposal. In an emergency call 111, Police or Fire Brigade. For specialist advice in an emergency only, call 0800 CHEMCALL (0800 243 6225) (24 hrs).

P405 Store locked up

Disposal P501 Dispose of contents by using it in accordance with this label. Dispose of the

container via AgRecovery after triple rinsing (use the rinsate for spraying).

3: Composition/ Information on Ingredients

IngredientCAS NoContent (% w/v)Imidacloprid138261-41-360Glycerin56-81-510 - 30Other ingredientsProprietaryRemainder

4: First Aid Measures

Storage

If medical advice is needed, have product container or label at hand. For advice call the National Poisons Centre on 0800 POISON (0800 764 766) or a Doctor.

Ingestion: Rinse mouth. Get emergency medical help immediately.

Skin Contact: Wash with plenty of soap and water. Seek medical advice if irritation occurs.

Eye Contact: Rinse cautiously with water for several minutes. Remove contact lenses, if easy to do so. Continue rinsing.

Seek medical advice if irritation persists.

Inhalation: Remove to fresh air and keep at rest in a position comfortable for breathing. Seek medical advice if feeling

unwell.

Workplace Facilities: Hand wash facility. Eye wash facility

Advice to Doctor: No specific antidote. Treat symptomatically
National Poison Centre 0800 POISON (0800 764 766) (24 hours)

Symptoms of Exposure which could occur if this material is not handled in accordance with instructions:

Ingestion: Cramps, muscle weakness (including muscles necessary for breathing), twitching, dizziness, fatigue

Skin Contact: Prolonged or repeated contact may result in irritation

Eye Contact: May cause irritation

Inhalation: May cause irritation

5: Fire-Fighting Measures

Fire/Explosion Hazard Non-Flammable

HAZCHEM Code 2X ER Guide No 151

Extinguishing Media Water spray, foam, dry chemical or C02. Avoid water jet.

Fire Fighting InstructionsDuring a fire, toxic fumes may be emitted. Wear self-contained breathing apparatus. Contain runoff.

Specific Hazards Arising from Fire No data available

6: Accidental Release Measures

Personal Precautions Caution: Floors may be slippery if wet. Wear personal protective clothing and equipment as described in

section 8. Exclude non-essential people from the area.

Environmental Precautions Prevent further spillage or leakage. Prevent material from entering drains, waterways, etc.

Clean Up

Absorb spillage with inert material such as spill kit, sand or cat litter. Collect and place in a sealable

container for disposal. Wash down affected area with water and detergent. Absorb and collect washings for

disposal. Dispose of safely to a suitable landfill.

Page: 2 of 6



7: Handling and Storage

Storage: Keep out of reach of children. Store in the original tightly closed container in a locked and secure area.

Handling and Use: Refer to Prevention statements in section 2 above. Treated seed must not be used for human or animal

consumption. Treated seed must be dyed a distinctive colour and labelled.

Workplace only Required. This substance is restricted to use in the workplace only

Handling This product must only be handled, mixed and applied by a suitably qualified person as defined under the

HPC notice 2017 Part 4C

Additional Requirements All aspects of storage, handling, use, disposal and record keeping must be in accordance with NZS

8409:2004 'Management of Agrichemicals', and relevant local and regional council plans.

8: Exposure Controls / Personal Protection

Tolerable Exposure Limit None established

Workplace Exposure Standards Glycerin 10 mg/m3 (8 hr TWA)

Engineering Controls Adequate ventilation to, and correct siting of, seed treatment equipment. Local exhaust ventilation with

filtration (fixed or mobile) may be required, particularly at the sack filling station, to avoid mist or dust

entering the breathing zone.

Personal Protection:

Eye Safety glasses/goggles when mixing or applying

SkinCotton overalls snugly fitting at the neck, wrist and ankle, boots and waterproof gloves (e.g. PVC). Wear

waterproof apron or coverall if splashing could occur.

Respiratory Respirator (organic vapour and particulate matter) where inhalation of mist or dust cannot be avoided

through engineering controls.

Clean protective equipment after use

9: Physical and Chemical Properties

AppearanceWhite LiquidOdourNon-specificOdour ThresholdDoes not applypH5.0 – 9.0Melting Point/Freezing PointDoes not apply

Boiling Point >100°C

boiling Point > 100°C

Flash Point Does not apply Flammability Does not apply **Upper/Lower Flammability Limits** Does not apply **Vapour Pressure** Does not apply **Vapour Density** Does not apply **Relative Density** 1.28 g/L (approx.) Solubility in Water Dispersible Partition Coefficient: n-octanol/water See section 12 **Auto ignition Temperature** Does not apply **Decomposition Temperature** Does not apply **Kinematic Viscosity** Does not apply **Particle characteristics** Does not apply

10: Stability and Reactivity

Stability Stable under normal conditions

Hazardous ReactionsNone ExpectedIncompatibilityNone KnownHazardous Decomposition ProductsNone Known

Page: 3 of 6



11: Toxicological Information

This section describes effects which could occur if this material is not handled in accordance with this data sheet and label instructions

LD50 > 50 mg/kg **Acute Oral Toxicity Acute Dermal Toxicity** LD50 > 5000 mg/kg**Acute Inhalation Toxicity** LD50 > 5 mg/L

Information not available Skin Irritant/Corrosive Serious eye damage/ eye irritation Information not available Information not available Respiratory or skin sensitisation Germ cell mutagenicity Information not available Carcinogenicity Information not available Reproductive toxicity Information not available

Specific Target Organ Toxicity -

single exposure

Specific Target Organ Toxicity -

repeated exposure

Aspiration hazard

Long term animal feeding studies on imidacloprid have noted effects on the liver

Information not available

Information not available

12: Ecological Information

This section describes effects which could occur if this material is not handled in accordance with this data sheet and label instructions

The following information is presented in respect of the active ingredient:

Acute Oral LD50 (Japanese quail) 31 mg/kg **Ecotoxicity**

LC50 (96 hr) (Rainbow trout) 211 mg/l

• LC50 (48 hr) (Daphnia) 85 mg/l EC50 (5 d) (Algae) 33.2 mg/l

Toxic to bees (when in direct contact – not toxic as a seed treatment)

Persistence/degradability Biodegradable. DT50 (soil) 191 days

Bioaccumulative Potential Octanol-water partition coefficient LogP = 0.57 (low)

Soil Mobility Soil organic carbon water partitioning coefficient Koc = 156 (non-mobile)

Environmental Exposure Limit: None established

13: Disposal Considerations

Product Dispose of product by using it in accordance with the label. Waste product should be disposed of to a

suitable landfill. For disposal of large quantities contact Orion AgriScience Ltd.

Container Dispose of to a suitable landfill or via AgRecovery. Do not burn. Do not use packaging for any other

purpose.

14: Transport Information

Dangerous Goods

UN Number 2902

Proper Shipping Name PESTICIDE, LIQUID, TOXIC, N.O.S. (IMIDACLOPRID 60%)

Class 61 **Subsidiary Class** None **Packing Group**

MARINE POLLUTANT **Additional Information**

MTQ (Non-Commercial) 250 litres 1 litre **Passenger Service Vehicle**

Page: 4 of 6

Additional Requirements



HSR007662
P9885
Required. This product must only be handled, mixed and applied by a suitably qualified person as defined
under the HPC notice 2017 Part 4C.
Not required
Yes. This substance is restricted to use in the workplace only
Not required
Required. Records of use as described in NZS 8409 Management of Agrichemicals must be kept if 3 kg or
more is applied within 24 hours and likely to leave the application area
A hazardous substance location compliance certificate is required
A hazardous area is not required
Separation distances to protected places and public places is applicable
Fire extinguishers are not required
Signage is required for more than 100 litres
 An emergency response plan is required for more than 100 litres
 Secondary containment is required for more than 100 litres
Segregation from incompatible substances is applicable

Refer to NZS 8409:2021 'Management of Agrichemicals', and relevant local and regional council plans

Advance notice given to neighbours and other affected parties, of details of proposed application, and

Date of last sds revision	November 2024
ADE	Acceptable Daily Exposure – A daily dose, received via any route, below which no adverse effects are
	expected over a lifetime of exposure
ACVM	Agricultural Compounds and Veterinary Medicines group of the Ministry of Primary Industries
Cat.	GHS category
Ceiling	A concentration that should not be exceeded at any time during any part of the working day
Certified Handler	A qualification issued by a Compliance Certifier to handle and use particularly toxic substances (Acute
	Toxicity Category 1 or 2 – Oral, Dermal or Inhalation)
DT50	Time (days) for 50% reduction in concentration
EC50	Concentration required to produce an effect in 50% of organisms
Environmental Exposure Limit	Maximum concentration limit of a substance in an environmental medium, e.g., water, soil.
EPA Notice	Hazardous Property Controls Notice 2017
ER Guide	Australian and New Zealand Emergency Response Guide Book
GHS	Globally harmonized system of classification and labelling of chemicals
Hazardous Substance Location	For locations storing hazard substances of certain classes above threshold quantities
Compliance Certificate	
Hazardous Area	A designated area designed for the presence of flammable substances - Refer AS/NZS 60079.10.1:2009
HAZCHEM Code	Emergency action code for emergency services
HSHPC Notice	Hazardous Substances (Hazardous Property Controls) Notice 2017
HSWHS Regs	Health and Safety at Work (Hazardous Substances) Regulations 2017
LC50	Concentration that will kill 50% of organisms
LD50	Dose that will kill 50% or organisms
MTQ	Maximum Transport Quantity. The maximum amount of dangerous goods that can be transported by roa
	by the user

Page: 5 of 6

Notification



other details as described

Octanol-Water Partition Coefficient The partition coefficient of a substance between n-octanol and water, used as the Logarithm base 10

form, as an indicator that a substance may bioaccumulate

PDE Permitted Daily Exposure - A daily dose below which no adverse effects are expected over a lifetime of

exposure

Protected Place Residential properties, schools, hospitals, kindys, factories, shops, warehouses, etc., and other places where

people assemble

Public Place A place frequented by the public, including roads (does not include private property)

Qualified Person A requirement for the loader, contractor or person applying the product to hold a qualification such as a

GROWSAFE Certificate, Unit Standard 21563, etc.

Record Keeping Includes a spray diary or other record of application

REI Restricted Entry Interval – The length of time after application before entry into the treated area is

permitted without the use of protective equipment. For indoor environments, this time period commences

once ventilation after treatment begins.

Segregation Certain classes of substances must not be in contact with, and must be stored separately from, certain

other classes as specified in HSWHS Regs and the HSHPC Notice

Separation Distances The distances specified in Part 11 and Part 13 of HSWHS Regs between storage and/or use of hazardous

substances and protected places and/or public places of certain classes above threshold quantities

Signage Positioned at entrances to commercial premises providing information on the hazardous substances

present

Soil Adsorption Coefficient (Kd)

The ratio of the concentrations of a substance adsorbed onto a solid sorbent to that dissolved in a liquid

phase. The higher the value the less mobile the chemical is in soil

Soil Organic Carbon-WaterThe ratio of the mass of a chemical that is adsorbed in the soil per unit mass of organic carbon in the soil.

Partitioning Coefficient (Koc) The higher the value the less mobile the chemical is in soil

STEL Short term exposure level – 15 minute time weighted average

Tolerable Exposure LimitMaximum concentration limit of a substance above which persons must not be exposed

Tracking For some particularly hazardous substances, a record must be kept of the transport, storage, sale and use

of the product

TWA Time weighted average calculated over an 8 hour working day

exposed

Workplace Only A product that is restricted to a workplace only and under the supervision of a certified handler

Please Note

Users must ensure that the most up to date version of this safety data sheet is used.

This Safety Data Sheet summarises information on this product, and how to safely handle and use the product. Each user should familiarise themselves with the product label and Safety Data Sheet, and consider the information in the context of how the product will be handled and used, including in conjunction with other products. Orion AgriScience Ltd assumes no responsibility for the accuracy, completeness or suitability of this information. The user is responsible for determining the suitability and accuracy of this information for their particular purposes.

If clarification or further information is needed to ensure that an appropriate risk assessment can be made, the user should contact this company.

Page: 6 of 6